

# G3 FINISH AID SAFETY DATA SHEET



# 1. PRODUCT IDENTIFICATION

PRODUCT IDENTIFIER

Suspension of amorphous silica in water

Product Name: G3 Finish Aid 7631-86-9 CAS Number:

SUPPLIER Wagman Metal Products, Inc.

400 S Albemarle St. York, PA 17403

24 Hours day / 7 Days week

Phone: 717.854.2120

Email: email@wagman.us Emergency Telephone:

1-800-535-5053 (INFOTRAC)

DATE OF CURRENT REVISION June 30, 2020

#### 2. HAZARD IDENTIFICATION

CLASSIFICATION Product is not classified as hazardous under GHS criteria or OASHA Hazard Communication Standard (29 CFR 1910.1200)

GHS LABEL ELEMENTS

Symbol(s): Signal Word(s): None Hazard statement(s): None

PRECAUTIONARY STATEMENT(S):

P261 Avoid breathing dust/mists Prevention:

P264 Wash hands thoroughly after handling

P280 Wear protective gloves/clothing/eye/face protection

Response: P330 Rinse mouth

P302+P352 IF ON SKIN: Wash with plenty of soap and water. P332+P313 If skin irritation occurs: Get medical advice/attention. P362 Take off contaminated clothing and wash before reuse. P307+P311 IF exposed: Call a POISON CENTER or doctor/physician.

P314 Get medical advice/attention if you feel unwell. Storage: P402+P404 Store in a dry place. Store in a closed container. Disposal: P501 Dispose of contents/container according to all applicable

Local/State/Federal regulations

OTHER HAZARDS See Section 11 for health effects. See Section 12 for environmental effects.

# 3. COMPOSITION/INFORMATION **ON INGREDIENTS**

COMPONENT NAME	COMPONENT NAME CAS NUMBER		
Synthetic Amorphous Silica	7631-86-9	5-50 %	



#### 4. FIRST AID MEASURES

FIRST AID MEASURES

Remove any contact lenses if easily done. Immediately flush eyes

with plenty of water. Get medical attention, if irritation persists.

Skin: Wash with soap and water. Get medical attention if irritation

develops or persists.

Inhalation: In case product dust is released: Possible discomfort via

coughing and sneezing. Remove to fresh air.

If accidentally swallowed, rinse mouth thoroughly with water and afterwards, drink plenty of water. In case of discomfort, Oral:

obtain medical attention.

MOST IMPORTANT SYMPTOMS/EFFECTS None known.

NOTES TO PHYSICIAN No hazards which require special first aid measures

#### 5. FIRE FIGHTING MEASURES

FLAMMABILITY ASSESSMENT Not flammable

UNSUITABLE EXTINGUISHING MEDIA None Known

SPECIFIC FIREFIGHTING MEASURES All extinguishing methods are suitable for any firefighting

in area of product storage or use.

SPECIFIC HAZARDS DURING FIREFIGHTING

SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIREFIGHTERS

As in any fire, wear self-contained positive-pressure

breathing apparatus, (MSHA/NIOSH approved or equivalent)

and full protective gear.

#### 6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND **EMERGENCY PROCEDURES** 

Wear personal protective equipment. See section 8

METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING UP

Collect using pump or absorbent. Place material into properly labeled sealed containers. After cleaning, rinse area with water. No special environmental precautions are required. Dispose of material in accordance with local regulations.



#### 7. HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING Wear personal protective equipment. Avoid formation of

respirable particles. Avoid inhalation of dust. Do not breathe dust or mist. Avoid direct contact with eyes, skin, or clothing. Wash hands before breaks and at the end of the day.

**CONDITIONS FOR SAFE STORAGE** Keep from Freezing. Keep container closed in a dry, cool

place when not in use. Avoid dust formation. Provide appropriate exhaust ventilation where dust is formed.

# 8. EXPOSURE CONTROLS/ PERSONAL PROTECTION

EXPOSURE LIMITS								
Component	CAS#	OSHA	PEL	ACGI	H TLV	NIOSH	REL	FORM
		TWA	CEILING	TWA	STEL	TLV-TWA	SKIN	
Silica, Amorphous	7631-86-9	0.8 mg/m³	20 mppcf					Powder
Dust	N/A	5 mg/m³	10 mg/m³	3 mg/m³	10 mg/m³			Dust

#### ENGINEERING CONTROLS

Local Ventilation: Provide adequate exhaust ventilation to keep dust concentration

below occupational exposure guidelines. (3mg/m3)

General Ventilation: Recommended

#### PERSONAL PROTECTIVE EQUIPMENT FOR ROUTINE HANDLING AND SPILLS

Eyes: Wear safety glasses with side shields (or goggles) and a face shield.

Skin: The glove(s) listed below may provide protection against permeation.

Suitable Gloves: rubber, leather, latex, nitrile

Inhalation/Suitable Respirator: A respiratory protection program that meets OSHA 1910.134 and

ANSI Z88.2 or applicable federal/provincial requirements must be followed whenever workplace conditions warrant respirator use. Niosh's "Respirator Decision Logic" may be useful in determining

the suitability of various types of respirators.

Precautionary Measures: Wash hands before eating or smoking. Remove contaminated

clothing and wash before reuse.



#### 9. PHYSICAL AND CHEMICAL PROPERTIES

FLASH POINT: NA FLAMMABILITY LIMITS IN AIR:

Lower Limit NA

Upper Limit NA
AUTO-IGNITION TEMPERATURE: NA
DECOMPOSITION TEMPERATURE: NA

FLAMMABILITY: Not Flammable APPEARANCE: Clear to white liquid

 ODOR:
 None

 ODOR THRESHOLD:
 NA

 PH (100.0 % @ 25°C):
 9.0-10.5

 MELTING/FREEZING POINT:
 32 F/ 0 C

 BOILING POINT:
 212 F / 100 C

 EVAPORATION RATE:
 Equal to water

 VISCOSITY @ 25°C:
 < 100 cPs</td>

 VOLATILE ORGANIC %:
 ND

VAPOR PRESSURE:

VAPOR DENSITY (AIR=):

BULK DENSITY @ 25°C:

RELATIVE DENSITY @ 25°C:

SOLUBILITY IN WATER:

PARTITION COEFFICIENT

ND

NA

NA

(N-OCTANOL/WATER):

The Physical data presented here are representative values, as the actual product's values may vary slightly.

#### 10. STABILITY AND REACTIVITY

**REACTIVITY** None expected

CHEMICAL STABILITY Stable under normal storage/use conditions

POSSIBILITY OF HAZARDOUS REACTIONS None known

CONDITIONS TO AVOID None known

INCOMPATIBLE MATERIALS None known

HAZARDOUS DECOMPOSITION PRODUCTS None known



#### 11. TOXICOLOGICAL INFORMATION

#### ACUTE TOXICITY

Oral: LD50 Rat: >1000 mg/kg

Dermal: LD50 Rat: >2000 mg/kg

Inhalation: Information not available

Skin corrosion/irritation: Rabbit: Not irritating

Serious eye damage/irritation: Rabbit: Not irritating

Respiratory sensitization: Silicosis or other product specific illness or the respiratory

tract has not been reported.

Skin sensitization: Prolonged or repeated contact can result in drying of the

skin which may result in skin irritation and dermatitis (rash).

Specific Target Organ Toxicity

(single exposure):

Information not available

Aspiration hazard: Information not available

CHRONIC EFFECTS

Germ cell mutagenicity: Negative

Carcinogenicity: Not expected

Reproductive toxicity: Not expected

Specific Target Organ Not determined Toxicity (repeated exposure):

LIKELY ROUTES OF EXPOSURE/SYMPTOMS

Eye: May cause eye irritation

Skin: Prolonged or repeated contact can result in drying of the

skin which may result in skin irritation and dermatitis (rash).

Inhalation: Prolonged inhalation may cause irritations of the

respiratory tract.

Oral: No hazard expected in normal use.

# 12. ECOLOGICAL INFORMATION

**ECOTOXICITY** Toxicity to fish:LC50 (Brachrdanio reio): >10000 mg/l /96 hr.

Method: OECD 203

Toxicity to daphnia:EC50 Daphnia magna: >10000 mg/l /24 hr.

Method: OECD202

PERSISTENCE AND DEGRADABILITY Solids removed from water by sedimentation or binding to sludge.

BIOACCUMULATIVE POTENTIAL Solution is not expected to bio-accumulate.

MOBILITY IN SOIL Not expected

OTHER ADVERSE EFFECTS Increase in TSS. Materials can be removed by sedimentation

or flocculation intosludge.



## 13. DISPOSAL CONSIDERATIONS

**Empty container warnings:** If discarded in its purchased form, this product would not be a hazardous waste either by listing or by characteristic. However, under RCRA, it is the responsibility of the product user to determine at the time of disposal, whether a material containing the product or derived from the product should be classified as a hazardous waste. (40 CFR 261.20-24)

DISPOSAL CONSIDERATIONS:

Dispose as dry waste in accordance with all local, state and federal regulations..

#### 14. TRANSPORT INFORMATION

DOT ROAD SHIPMENT INFORMATION (49 CFR 172.101)

Not regulated by DOT, IMDG, ICAO/IATA.

UN Number: DOT Proper Shipping Name: DOT Technical Name: DOT Hazard Class(es): DOT Packing Group: Marine Pollutant:

AIR SHIPMENT (IATA)

Not regulated by DOT, IMDG, ICAO/IATA.

OCEAN SHIPMENT (IMDG)

Transport in bulk:

Not regulated by DOT, IMDG, ICAO/IATA.

## 15. REGULATORY INFORMATION

INTERNATIONAL CHEMICAL INVENTORY STATUS

TSCA (USA): DSL: EINICS: AICS:

CANADIAN WHMIS:

CANADIAN WHMIS CLASS:

Components of this product are listed Components of this product are listed Components of this product are listed Components of this product are listed

This SDS has been prepared in compliance with Controlled Product

Regulations except for use of the 16 headings

Not a WHMIS control material



# EPA SARA TITLE III CHEMICAL LISTINGS SECTION 302 EXTREMELY HAZARDOUS SUBSTANCES:

COMPONENT NAME	CAS NUMBER	WT %	HAZARD	
None				

#### SECTION 304 CERCLA HAZARDOUS SUBSTANCES:

COMPONENT NAME	CAS NUMBER	WT %	REPORTABLE QUANTITY (#)
None			

#### SECTION 312 HAZARD CLASS:

 Acute:
 No

 Chronic:
 No

 Fire:
 No

 Pressure:
 No

 Reactivity:
 No

SECTION 313 TOXIC CHEMICALS: Only chemicals which exceed the reporting threshold are included below:

COMPONENT NAME	CAS NUMBER	WT%
None		

#### OTHER REGULATORY CONCERNS

#### STATE RIGHT TO KNOW:

Components	CAS#	CA Prop 65	NJ	PA	MA
Amorphous Silica Silica, Amorphous, Precipitate and Gel	7631-86-9 112929-00-8		Yes	Yes	
Product		No			



#### 16. OTHER INFORMATION

	HEALTH	FIRE REAC	CTIVITY
HMIS	1	0	

**Note:** HMIS ratings involve data and interpretations that may vary from company to company. They are intended only for rapid, general identification of the magnitude of the specific hazard. To deal adequately with the safe handling of this material, all the information in the SDS must be considered.

HMIS = Hazardous Material Information System \*Chronic effect

DISCLAIMER

This safety data sheet (SDS) was prepared in accordance with the 29 CFR 1910.1200. The information contained herein is based upon data available to us and reflects our best professional judgement. However, no warranty is expressed or implied regarding the accuracy of such information or the results obtained from the use thereof. We assume no legal responsibility whatsoever for any damage resulting from reliance upon this information since it is being furnished upon the condition that the person receiving it shall make his or her own determination of the suitability of the material described herein for a particular application, storage, or disposal situation.