



CONCRETE  
POLISHING  
SYSTEMS  
GBPOLISHING.COM

**G3 GUARD**  
SAFETY DATA SHEET

# 1. PRODUCT IDENTIFICATION

<b>TRADE NAME (AS LABELED)</b>	G3 Guard
Synonyms:	Silicate Blend
CAS Number:	Mixture
<b>PRODUCT USE</b>	Concrete strengthening
<b>SUPPLIER</b>	Wagman Metal Products, Inc. 400 S Albemarle St. York, PA 17403 24 Hours day / 7 Days week 717.854.2120 email@wagman.us 1-800-535-5053 (INFOTRAC)
Phone:	
Email:	
Emergency Telephone:	
<b>DATE OF CURRENT REVISION</b>	March 6, 2015

# 2. HAZARD IDENTIFICATION

## EMERGENCY OVERVIEW

Product Description:	This product is a hazy liquid with a characteristic odor.
Health Hazards:	Exposure to this product may cause irritation to eyes. Prolonged contact may cause skin irritation. Exposure to mists may cause respiratory tract irritation. May be harmful if swallowed.
Flammability Hazards:	This product is a non-flammable with flash point greater than 200° F.
Reactivity Hazards:	None known
Environmental Hazards:	The Environmental effects of this product have not been investigated. Release of this product is not expected to have significant adverse effects in the aquatic environment.



US DOT SYMBOLS  
Non-Regulated Material

CANADA (WHMIS) SYMBOLS  
"Not Controlled"

EUROPEAN and (GHS) Hazard Symbols

## CLASSIFICATION OF SUBSTANCE OR MIXTURE IN ACCORDANCE WITH 29 CFR 1200 (OSHA HCS) AND THE EUROPEAN UNION DIRECTIVES

This product does meet the definition of a hazardous substance or preparation as defined by 29 CFR 1910. 1200 AND the European Union Council Directives 67/548/EEC, 1999/45/EC, 1272/2008/EC and subsequent Directives.

## EU HAZARD CLASSIFICATION OF INGREDIENTS PER DIRECTIVE 1272/2008/EC

Index Number:	EC# 233-001-1 This substance is not classified in the Annex VI of Directive 67/548/EEC
	Substances not listed either individually or in group entries must be self classified.

Component(s) Contributing to Classification(s):	All Components
---	----------------

## LABEL ELEMENTS

GHS Hazard Classification(s):	Skin Irritant Category 2 Eye Irritant Category 2A STOT SE Category 3 Acute Oral Toxicity Category 4
-------------------------------	---

<b>HAZARD STATEMENT(S)</b>	H315: Causes skin irritation H319: Causes serious eye irritation H335: May cause respiratory irritation H302: May be harmful if swallowed
----------------------------	--

PRECAUTIONARY STATEMENT(S)	P261: Avoid breathing fume/mist/vapors/spray P264: Wash skin after handling P281: Use personal protective equipment as required
EU HAZARD CLASSIFICATION OF INGREDIENTS PER DIRECTIVE 1999/45/EC	[Xn] Harmful, [Xi] Irritant
Risk Phrases:	R22: Harmful if swallowed R36/37/38: Irritating to eyes, respiratory system and skin
Safety Phrases:	S24/25: Avoid contact with skin and eyes S45: In case of accident or if you feel unwell, seek medical attention immediately
HEALTH HAZARDS OR RISKS FROM EXPOSURE	
SYMPTOMS OF OVEREXPOSURE BY ROUTE OF EXPOSURE	The most significant routes of exposure for this product are by inhalation, skin contact, eye contact or ingestion.
ACUTE	
Inhalation:	Inhalation of mists may be irritating to the respiratory tract.
Contact with skin:	Repeated or prolonged contact may cause skin irritation.
Eye Contact:	Contact may irritate the eyes, resulting in redness or watering.
Ingestion:	Ingestion may cause gastrointestinal irritation with nausea and diarrhea.
Chronic:	None known
TARGET ORGANS:	
Acute:	Eyes, Skin, Respiratory System      Chronic: None Known

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

HAZARDOUS INGREDIENTS	WT%	CAS#	EINECS #	HAZARD CLASSIFICATION	RISK PHRASES
<b>Water</b>	75 - 95%	7732-18-5	231-791-2	None	None
<b>Silicic Acid, Potassium Salt</b>	20-40%	63148-62-9	203-492-7	[Xi] Irritant	R36/37/38
<b>Surfactant Blend</b>	1 - 5%	Mixture	Mixture	[Xn] Harmful, [Xi] Irritant	R22, R36/38
Balance of other ingredients is less than 1% in concentration (or 0.1% for carcinogens, reproductive toxins, or respiratory sensitizers).					

**NOTE:** ALL WHMIS required information is included in appropriate sections based on the ANSI Z400.1-2010 format. This product has been classified in accordance with the hazard criteria of the CPR and the MSDS contains all the information required by the CPR, EU Directives and the Japanese Industrial Standard JIS Z 7250: 2000.

## 4. FIRST AID MEASURES

### FIRST AID MEASURES

Eye:	If product enters the eyes, open eyes while under gentle running water for at least 15 minutes. Seek medical attention if irritation persists.
Skin:	If product contacts skin, wash skin thoroughly with soap and water after handling. Seek medical attention if irritation develops and persists.
Inhalation:	If breathing becomes difficult, remove victim to fresh air. If necessary, use artificial respiration to support vital functions. Seek medical attention.
Ingestion:	If product is swallowed, call physician or poison control center for most current information. If professional advice is not available, do not induce vomiting. Never induce vomiting or give diluents (milk or water) to someone who is unconscious, having convulsions, or who cannot swallow. Seek medical advice. Take a copy of the label and/or SDS with the victim to the health professional.

### SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED

Exposure to this product may cause irritation to skin and eyes. Inhalation of fumes/vapors may cause irritation to respiratory system. May be harmful if swallowed with digestive tract irritation, diarrhea and vomiting.

### RECOMMENDATIONS TO PHYSICIANS

Treat symptoms and eliminate overexposure.

## 5. FIRE FIGHTING MEASURES

### FIRE EXTINGUISHING MATERIALS

Use fire extinguishing methods below:

Water Spray:	No
Foam:	Yes
Halon:	Yes
Carbon Dioxide:	Yes
Dry Chemical:	Yes
Other:	Any "C" Class


### UNUSUAL FIRE AND EXPLOSION HAZARDS

Emits toxic fumes under fire conditions:	
Explosion Sensitivity to Mechanical Impact:	No
Explosion Sensitivity to Static Discharge:	No

### SPECIAL FIRE-FIGHTING PROCEDURES

Incipient fire responders should wear eye protection. Structural firefighters must wear Self-Contained Breathing Apparatus and full protective equipment. Isolate materials not yet involved in the fire and protect personnel. Move containers from fire area if this can be done without risk; otherwise, cool with carefully applied water spray. If possible, prevent runoff water from entering storm drains, bodies of water, or other environmentally sensitive areas.

#### NFPA RATING SYSTEM



#### HMS RATING SYSTEM

HAZARDOUS MATERIAL IDENTIFICATION SYSTEM			
HEALTH HAZARD (BLUE)			1
FLAMMABILITY HAZARD (RED)			0
PHYSICAL HAZARD (YELLOW)			0
PROTECTIVE EQUIPMENT			
EYES	RESPIRATORY	HANDS	BODY
	See Sect 8		See Sect 8
For Routine Industrial Use and Handling Applications			

HAZARD SCALE 0 = Minimal 1 = Slight 2= Moderate 3 = Serious 4 = Severe \* = Chronic Hazard

## 6. ACCIDENTAL RELEASE MEASURES

**PERSONAL PRECAUTIONS,  
PROTECTIVE EQUIPMENT AND  
EMERGENCY PROCEDURES**

See section 8.2 for Exposure Controls.

**ENVIRONMENTAL PRECAUTIONS**

Construct a dike to prevent spreading. Keep out of sewers, storm drains, surface waters, and soils

**SPILL AND LEAK RESPONSE**

Soak up with absorbent material such as clay, sand or other suitable non-reactive material. Place in leak-proof containers. Seal tightly for proper disposal. Dispose of in accordance with U.S. Federal, State, and local hazardous waste disposal regulations and those of Canada and its Provinces, those of Australia, Japan and EU Member States (see Section 13, Disposal Considerations).

## 7. HANDLING AND STORAGE

**PRECAUTIONS FOR SAFE HANDLING**

To prevent skin and eye contact under the foreseeable conditions of use, wear appropriate protective clothing and safety eyewear. When handling do not eat, drink, or smoke. Wash thoroughly after handling. Avoid breathing fumes. Handle in a well-ventilated work area.

**STORAGE AND HANDLING PRACTICES**

Keep in cool, dry, well-ventilated area in closed containers. Protect containers from physical damage.

**SPECIFIC USES**

Harden concrete surfaces

## 8. EXPOSURE CONTROLS/ PERSONAL PROTECTION

EXPOSURE PARAMETERS			
Chemical Name	CAS#	ACGIH TLV	OSHA TWA
Water	7732-18-5	Not Listed	Not Listed
Silicic Acid, Lithium Salt	10102-24-6	Not Listed	Not Listed
Surfactant	Mixture	Not Listed	Not Listed

## EXPOSURE CONTROLS

### VENTILATION AND ENGINEERING CONTROLS

Use with adequate ventilation to ensure exposure levels are maintained below the limits provided above.

The following information on appropriate Personal Protective Equipment is provided to assist employers in complying with OSHA regulations found in 29 CFR Subpart I (beginning at 1910.132) or equivalent standard of Canada, or standards of EU member states (including EN 149 for respiratory PPE, and EN 166 for face/eye protection), and those of Japan. Please reference applicable regulations and standards for relevant details

### RESPIRATORY PROTECTION

Not normally required when using this product. If necessary, use only respiratory protection authorized in the U.S. Federal OSHA Respiratory Protection Standard (29 CFR 1910.134), equivalent U.S. State standards, Canadian CSA Standard Z94.4-93, the European Standard EN149, or EU member states.

### EYE PROTECTION

Safety glasses or goggles are required where splashing is possible. If necessary, refer to U.S. OSHA 29 CFR 1910.133, Canadian Standards, and the European Standard EN166, Australian Standards, or relevant Japanese Standards.

### HAND PROTECTION:

Chemical resistant gloves are required to prevent skin contact. If necessary, refer to U.S. OSHA 29 CFR 1910.138, the European Standard DIN EN 374, the appropriate Standards of Canada, Australian Standards, or relevant Japanese Standards.

### BODY PROTECTION

Use body protect appropriate to task being performed. If necessary, refer to appropriate Standards of Canada, or appropriate Standards of the EU, Australian Standards, or relevant Japanese Standards. If a hazard of injury to the feet exists due to falling objects, rolling objects, where objects may pierce the soles of the feet or where employee's feet may be exposed to electrical hazards, use foot protection, as described in U.S. OSHA 29 CFR 1910.136.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### APPEARANCE (PHYSICAL STATE) AND COLOR:

This product is a hazy liquid with a characteristic odor.

### ODOR:

Characteristic

### ODOR THRESHOLD:

Not Available

### PH:

11.5

### MELTING/FREEZING POINT:

32°F

### BOILING POINT:

212°F

### FLASH POINT:

>200°F

### EVAPORATION RATE (N-BUAC=1):

Not Available

### FLAMMABILITY (SOLID, GAS):

Not Applicable

### UPPER/LOWER FLAMMABILITY

Not Applicable

### OR EXPLOSION LIMITS:

### VAPOR PRESSURE (MM HG @ 20°C (68°F):

Not Applicable

### VAPOR DENSITY:

Not Applicable

### RELATIVE DENSITY:

Not Applicable

### DENSITY:

Not Applicable

### SPECIFIC GRAVITY:

1.045

### SOLUBILITY IN WATER:

Soluble

### WEIGHT PER GALLON:

Not Available

### PARTITION COEFFICIENT

Not Applicable

### (N-OCTANOL/WATER):

### AUTO-IGNITION TEMPERATURE:

Not Applicable

### DECOMPOSITION TEMPERATURE:

Not Available

### VISCOSITY:

Not Available

### OTHER INFORMATION:

No additional information.

## 10. STABILITY AND REACTIVITY

REACTIVITY	This product is not reactive.
STABILITY	Will not occur
POSSIBILITY OF HAZARDOUS REACTIONS	Stable under normal storage/use conditions
CONDITIONS TO AVOID	None known
INCOMPATIBLE MATERIALS	None known
HAZARDOUS DECOMPOSITION PRODUCTS	Thermal decomposition products include carbon dioxide, carbon monoxide and phosphorous compounds.

## 11. TOXICOLOGICAL INFORMATION

TOXICITY DATA	Not classified
SUSPECTED CANCER AGENT	None of the ingredients within this product are found on the following lists: FEDERAL OSHA Z LIST, NTP, IARC, or CAL/OSHA and therefore are not considered to be, or suspected to be, cancer-causing agents by these agencies.
IRRITANCY OF PRODUCT	This product may be irritating to skin, eyes or respiratory system.
SENSITIZATION TO THE PRODUCT	This product is not considered a respiratory system or skin sensitizer.
SPECIFIC TARGET ORGAN TOXICITY – SINGLE EXPOSURE	No information concerning the effects of this product and its components on the human reproductive system.
REPRODUCTIVE TOXICITY INFORMATION	Eyes, respiratory System and Skin
SPECIFIC TARGET ORGAN TOXICITY – REPEATED EXPOSURE	None known
ASPIRATION HAZARD	None

## 12. ECOLOGICAL INFORMATION

TOXICITY	No toxicity data available
PERSISTENCE AND DEGRADABILITY	No specific data available on this product.
BIOACCUMULATIVE POTENTIAL	No specific data available on this product.
MOBILITY IN SOIL	No specific data available on this product.
RESULTS OF PBT ANDVTVB ASSESSMENT	No specific data available on this product.
OTHER ADVERSE EFFECTS	No specific data available on this product. ALL WORK PRACTICES MUST BE AIMED AT ELIMINATING ENVIRONMENTAL CONTAMINATION.
WATER ENDANGERMENT CLASS	Water endangering in accordance with EU Guideline 91/155-EWG. Not determined

## 13. DISPOSAL CONSIDERATIONS

WASTE TREATMENT METHODS	Waste disposal must be in accordance with appropriate U.S. Federal, State, and local regulations, those of Canada, Australia, EU Member States and Japan.
EU WASTE CODE	Not determined

## 14. TRANSPORT INFORMATION

US DOT, IATA, IMO, ADR U.S. DEPARTMENT OF TRANSPORTATION (DOT) SHIPPING REGULATIONS:	This product is classified (per 49 CFR 172.101) by the U.S. Department of Transportation, as follows.
Proper Shipping Name:	Non-Regulated Material
Hazard Class Number and Description:	None
UN Identification Number:	None
Packing Group:	None
DOT LABEL(S) REQUIRED	None
NORTH AMERICAN EMERGENCY RESPONSE GUIDEBOOK NUMBER	None
RQ QUANTITY	None
MARINE POLLUTANT	None of the components of this product are designated by the Department of Transportation to be Marine Pollutants (49 CFR 172.101, Appendix B).
SPECIAL PRECAUTIONS FOR USER	Avoid exposure
INTERNATIONAL TRANSPORTION INTERNATIONAL AIR TRANSPORT ASSOCIATION SHIPPING INFORMATION (IATA):	This product is not considered as dangerous goods.
INTERNATIONAL MARITIME ORGANIZATION SHIPPING INFORMATION (IMO):	This product is not considered as dangerous goods.
TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL 73/78 AND IBC CODE	This product is not considered by the United Nations Economic Commission for Europe to be dangerous goods.



## 15. REGULATORY INFORMATION

### UNITED STATES REGULATIONS

U.S. SARA REPORTING REQUIREMENTS:	The components of this product are not subject to the reporting requirements of Sections 302, 304, and 313 of Title III of the Superfund Amendments and Reauthorization Act.
U.S. SARA THRESHOLD PLANNING QUANTITY:	There are no specific Threshold Planning Quantities for the components of this product. The default Federal MSDS submission and inventory requirement filing threshold of 10,000 lbs (4,540 kg) therefore applies, per 40 CFR 370.20.
U.S. CERCLA REPORTABLE QUANTITY (RQ):	None
U.S. TSCA INVENTORY STATUS:	The components of this product are listed on the TSCA Inventory or are exempted from listing.
OTHER U.S. FEDERAL REGULATIONS:	None
CALIFORNIA SAFE DRINKING WATER AND TOXIC ENFORCEMENT ACT (PROPOSITION 65):	Ingredients within this product are not on the Proposition 65 Lists.

### CANADIAN REGULATIONS

CANADIAN DSL/NDL INVENTORY STATUS:	The components of this product are on the DSL Inventory, or are exempted from listing.
OTHER CANADIAN REGULATIONS:	Not applicable.
CANADIAN ENVIRONMENTAL PROTECTION ACT (CEPA) PRIORITIES SUBSTANCES LISTS:	This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all of the information required by those regulations.
CANADIAN WHMIS CLASSIFICATION and SYMBOLS:	This product is "Not Controlled:", per WHMIS Controlled Product Regulations.

## 16. OTHER INFORMATION

### DISCLAIMER

This safety data sheet (SDS) was prepared in accordance with the 29 CFR 1910.1200. The information contained herein is based upon data available to us and reflects our best professional judgement. However, no warranty is expressed or implied regarding the accuracy of such information or the results obtained from the use thereof. We assume no legal responsibility whatsoever for any damage resulting from reliance upon this information since it is being furnished upon the condition that the person receiving it shall make his or her own determination of the suitability of the material described herein for a particular application, storage, or disposal situation.